[85]

enlarging on this subject, till another time; and conclude with assuring you of the most perfect esteem, with which I have the honour to be,

Dear Sir,

Your most obedient, humble servant,

Joseph Gaertner, M. D.

XIV. A Catalogue of the Fifty Plants from Chelsea Garden, presented to the Royal Society by the worshipful Company of Apothecaries, for the Year 1760, pursuant to the Direction of Sir Hans Sloane, Baronet, Med. Reg. Soc. Reg. nuper Præses, by John Wilmer, M. D. clariss. Societatis Pharmaceut. Lond. Socius, Hort. Chelsean. Præsectus Præsectus.

Read Feb. 19, } 1901 A LCEA vulgaris major, flore ex rubro roseo. C. B. 316.

1902 Andromeda pedunculis aggregatis, corollis cylindricis, foliis alternis ovatis integerrimis. Linn. Spec. Plant. 293.

1903 Aristolochia longa vera. C.B. 107. Offic. 47.

1 904 Asclepias foliis revolutis linearibus verticillatis, caule erecto. Linn. Sp. 217.

1 905 Asphodelus foliis planis, caule ramoso, floribus sparsis. Dict. Hort. Icon.

1906

[86]

1906 Basteria foliis ovatis oppositis, floribus lateralibus, caule fruticoso ramoso. Dict. Hort.

1907 Camphorosma foliis hirsutis linearibus. Amænit. Acad. Sp. 392.

Camphorata hirsuta. C. B. P. 486.

1908 Cardiaca. J. B. 3. 56. Marrubium Cardiaca dictum. C. B. 230. Offic. 104.

1 90 9 Cedrus folio cupressi, media, majoribus baccis. C. B. P. 487.

> Cedrus Phœnicia, altera Plinii et Theophrasti. Lobel. 221.

1910 Ciftus arborescens foliis ovato lanceolatis acuminatis trinerviis sessilibus utrinque villosis.

1911 Coronilla fruticosa stipulis subrotundis. Linn. Sp. Pl. 743.

1912 Coronopus sylvestris hirsutior. C. B. 190. Offic. 147.

1913 Damasonium stellatum. Lugd. 1058. Plantago aquatica stellata. C. B. 190.

1914 Filix mas non ramosa dentata. C. B. 358.

1915 Galeopsis palustris Betonicæ solio. Tourn. Panax Coloni Officin. 341.

1916 Gentiana palustris angustifolia. C. B. 188. Pneumonanthe. Ger. 3.55.

1917 Gundelia foliis pinnatifidis spinosis, capite araneosa lanugine obsita. Miller's Icons.

1918 Helleborine latifolia montana. C. B. P. 186.

1919 Hibiscus foliis inferioribus trilobis, summis quinque partitis obtusis crenatis, calycibus inflatis. Dict. Hort.

1920 Kalmia foliis lanceolatis corymbis lateralibus. Linn. Gen. nov. 1079. 1921 Lycium foliis cordato-ovatis fessilibus oppositis perennantibus, spinis crassis bigeminis, sloribus confertis. Dict. Hort.

1922 Lycopodium Sabinæ facie. Fl. Jenens. 328. Muscus clavatus foliis cupressi. C. B. 360.

1923 Lygusticum quod Seseli Offic. C. B. 162. Offic. 452.

Siler montanum major. Mor. Umb. 7. 8.

1924 Lyfimachia speciosa quibusdam onagra dicta siliquosa. J. B. 2. 906.
Chamenerion flore Delphinii. Park. Par. 270.

1925 Malva caule erecto herbaceo, foliis lobatis, fpicis fecundis axillaribus. Linn. Sp. 688.

1926 Magnolia foliis ovato-lanceolatis subtus glaucis annuis. Dict. Hort.

1927 Mespilus Cretica folio circinato et quasi cordiformi. T. Cor. 43.

Chamæcerasus Idæa, Alpini Exotic. 5.

1928 Mespilus folio subrotundo, fructo rubro. Tourn. 642.

1929 Milium semine luteo vel albo. C. B. 26. Offic. 317.

1930 Morus foliis palmatis, fructibus hispidis. Linn. Sp. Pl. 986.

Morus fativa foliis urticæ mortuæ, cortice papyrifera. Kempf. Amæn. 471.

1931 Narcissus spatha unissora nectario maximo limbo simbriato petalo longiore.

1932 Narcissus spatha unissora nectarii limbo campanulato erecto petalo æquali. Linn. Sp. 289.

1933 Nasturtium supinum capsulis verrucosis. Ray Method. emendata, 98.

Coronopus Ruellii. Ger. 346. Offic. 343.

1934 Ornithopodium radice nodosa. Park. 1093.

1935 Panicum Germanicum five panicula minore. C. B. 27. Offic. 343.

1936 Pimpinella fanguisorba minor. C. B. 160. Offic. 366.

Polypodium quercinum. Offic. 379.

1938 Ranunculus ceratophyllus, seminibus falcatis in spicam adactis. Mor. Hist. 2. 440.

1939 Rhus foliis ternatis lineari-lanceolatis, integerrimis petiolatis utrinque glabris.

1940 Salvia foliis cordatis obtufis crenatis subtomentofis, corollis calyce angustioribus. Linn. Sp. Pl. 25.

1941 Scordium alterum, five Salvia fylvestris. Scorodonia. Offic. 438. C. B. 247.

1942 Scrophularia major. Park. 610. Scrophularia nodosa fœtida. C. B. P. 235. Offic. 440.

1943 Scrophularia aquatica major. C. B. P. 235. Betonica aquatica. Ger. 579. Offic. 441.

1944 Solanum caule inermi subfruticoso, foliis oblongo ovatis sinuatis utrinque glabris sloribus alaribus. Miller's Icons.

1945 Sisarum Germanorum. C. B. 155. Off. 456.

1946 Sium arvense sive segetum. Tourn. 308. Selinum Si soliis. Ger. emac. 1018.

1947 Tormentilla sylvestris. C.B. 326. Off. 489.

1948 Valeriana floribus tetrandis æqualibus, foliis pinnatifidis, seminibus palea ovali adnatis. Hort. Upsal. 13.

1949 Veratrum flore subviridi. Tourn. 272. Offic.

226.

1950 Viburnum foliis ovatis acuminatis ferratis venosis, petiolis lævibus.

XV. An Account of the Cicuta, recommended by Dr. Storke; by William Watson, M. D. F. R. S.

To the Royal Society.

Gentlemen,

Read Feb. 17, N a paper I lately laid before you, I endeavoured to demonstrate, that the Cicuta major, which, since the publication of Dr. Storke's work at Vienna, had been used medicinally in England, was the plant intended by that gentleman; and not the Cicuta aquatica, as had been suggested by some practitioners here. And Dr. Storke has removed every doubt, which could remain, by transmitting hither to Mr. Hudson, a very ingenious apothecary and botanist, some leaves of the Cicuta major, or common hemlock, which grew at Vienna, and is of the same species with the plant so denominated here.

As Dr. Storke informs us, that, fince the publication of his treatife, he has received letters from almost every part of Europe, confirming his good opinion of the virtues of the Cicuta, and as he is about to publish a fecond treatife upon the same subject, containing still more extraordinary relations of cures brought about, by administring that plant; there is no doubt therefore, but that endeavours will be Vol. LII.